



# MPC-1061L

## CLUTCH & BREAK CONTROL

## TECH SPECS

|                             |  |   |
|-----------------------------|--|---|
| <b>Model</b>                | MPC-1061L  |   |
| <b>Dimension (HxWxD) mm</b> | 96 x 96 x 52   |   |
| <b>Panel Cutout</b>         | 92 x 92  |   |
| <b>Input</b>                | <b>Input 1</b>   | 1 or 2 NPN Proximity Switch (Factory Set) |
|                             | <b>Input 2</b>   | Color Mark Sensor                         |
| <b>Output</b>               | 2 Output (Forward & Reverse Winding), 2A, 110V AC/ 230V AC + Buzzer Output |   |
| <b>Power Supply</b>         | 110V AC,50/60Hz  |   |

## APPLICATIONS

Dust Collector

Food Processing

Bag Filtration

Hydroponic

Pharmaceutical

# Technical Specifications

| Input   |                             |
|---------|-----------------------------|
| Input 1 | 1 or 2 NPN Proximity Switch |
| Input 2 | Color Mark Sensor           |

| Output |   |
|--------|---|
| Relay  | 2 Output (Forward & Reverse Winding), 2A, 110V AC / 230V AC + Buzzer Output |


| Physical            |   |
|---------------------|---|
|                     | MPC-1061L   |
| Enclosure           | Molded ABS  |
| Color               | Black   |
| Front Bezel ( mm )  | 96 x 96   |
| Panel cutout ( mm ) | 92 x 92   |
| Depth behind panel  | 52 mm   |
| Accessories         | 1 pair of Mounting clamp                                    |
| Terminal Cable Size | Barrier Type terminal<br>Cable Size ( 2.5 mm <sup>2</sup> ) |

| Display & Keys |                                  |
|----------------|----------------------------------|
| Display        | 128 x 64 bit Graphical Display   |
| Keys           | SET, FWD, INC, DEC, REV, ENT/RST |


| Environmental         |                       |
|-----------------------|-----------------------|
| Operating Temperature | 0 to 55 °C            |
| Storage Temperature   | 0 to 70 °C            |
| Humidity              | 95% RH Non-condensing |
| Protection            | IP 54 ( Front Side )  |

| Power Supply |         |
|--------------|---------|
| Standard     | 110V AC |

## Connection Diagram



## Mechanical Dimension



Multispan reserves the right to change specifications without prior notice. Printing and typographical errors reserved. Product improvement and upgrade is a constant procedure. So for more updated operating information & support contact us.

## Multispan Control Instruments Pvt. Ltd.

72/B, Phase 1, GIDC Estate, Vatva, Ahmedabad-382445, Gujarat, India.

+91-7575805463/7623001206

support@multispanindia.com

Follow us



www.multispanindia.com